



MATEX

PRECIZIA DE CARE AI NEVOIE

Equipments catalog



VF2

Milling sector, 2 pieces

X	Y	Z	A	Maximum speed
762	406	508	HRT2010	8.100 rpm



Mini Mill

Milling sector, 1 piece

X	Y	Z	A	Maximum speed
406	305	254	-	6.000 rpm



Super Mini Mill

Milling sector, 1 piece

X	Y	Z	A	Maximum speed
406	305	254	-	10.000 rpm



Vcenter P106

Milling sector, 2 pieces

X	Y	Z	A	Maximum speed
1.060	600	560	-	15.000 rpm



EmL MM-760

Milling sector, 3 pieces

X	Y	Z	A	Maximum speed
760	430	460	-	8.000 rpm



EmL 510E

Milling sector, 1 piece

X	Y	Z	A	Maximum speed
510	410	460	-	10.000 rpm



TOPPER QVM 610A/APC

Milling sector, 1 piece

X	Y	Z	A	Maximum speed
610	410	460	-	8.000 rpm



TOPPER TMV 760A

Milling sector, 1 piece

X	Y	Z	A	Maximum speed
760	450	510	-	8.000 rpm

**ST 20**

Turning sector, 1 piece

X	Y	Z	MMD	Maximum speed
236	-	533	381	4.000 rpm

**ST 20SSY**

Turning sector, 1 piece

X	Y	Z	MMD	Maximum speed
236	± 50.8	533	254	5.000 rpm

**TNL 85A**

Turning sector, 1 piece

X	Y	Z	MMD	Maximum speed
150	-	400	320	4.800 rpm

**VT 15 PLUS**

Turning sector, 1 piece

X	Y	Z	MMD	Maximum speed
130	-	230	260	4.200 rpm

**Vturn A20 + Bar Feeder Magic 65**

Turning sector, 1 piece

X	Y	Z	MMD	Maximum speed
195 + 25 (165 + 35)	-	600	390	6.000 rpm

**Vturn NP16 + Bar Feeder Beta 340SX**

Turning sector, 1 piece

X	Y	Z	MMD	Maximum speed
20 + 130 (50 + 100)	-	250	260	6.000 rpm

**Vturn A20Y**

Turning sector, 1 piece

X	Y	Z	MMD	Maximum speed
165 + 35	± 45	600	330	6.000 rpm



SHARK 281 CCS

Cutting sector, 1 piece

Maximum cutting diameter

250 mm

Maximum speed

52 m./min.



BEHRINGER

BEHRINGER 321A

Cutting sector, 1 piece

Maximum cutting diameter

320 mm

Maximum speed

110 m./min.